

## Control Knobs

### Aluminum

#### SPECIFICATION

##### Type

- Type **N**: Neutral
- Type **M**: With arrow
- Type **S**: With scale 0...9, 20 graduations

##### Knob

- Aluminum
- Anodized, natural color
- Arrow for type M  
Laser-engraved
- Scale for type S  
Laser-engraved

##### Grub screw DIN 916

- Stainless steel
- with internal hex and serrated point

#### INFORMATION

Control knobs GN 723.4 can be combined with reference flanges GN 723.3 (see page 605) which offer the following advantages:

- they are provided with a reference mark relating to the scale on the control knobs
- they give additional support to the control shaft
- the version with a friction ring prevents unexpected movement through vibration.

Scale and arrow on the control knobs are indelibly marked and easily legible. Besides the standard scale (type S) they can be supplied with any type of graduation.

Regarding design, numbering run, numbering position and numbering sequence of the scale please see the layout for scale knobs on the order sheet "How to Order Graduations" (see page 594).



#### ACCESSORY

- GN 723.3 Reference Flanges (see page 605)
- GN 826 Clamping Elements (for Adjustable Spindles) (see page 960)


#### ON REQUEST


- Special graduations (see „How to Order Graduations“)

#### TECHNICAL INFORMATION

- How to Order Graduations (see page 594)
- ISO Fundamental Tolerances (see page A21)

### Control knob GN 723.4 combined with a reference flange GN 723.3





GN 723.4-N

Description	d1	d2 H8	d3 -0.2	d4	d5	l1	l2	l3	l4	t1 min.	t2	⚖
GN 723.4-27-B6-N	27	B 6	33.5	23.5	M 4	25.5	7.5	10.5	12.5	23.5	7.5	38
GN 723.4-34-B6-N	34	B 6	41	29.5	M 5	29.5	9.5	13.5	13	26.5	9.5	66
GN 723.4-34-B8-N	34	B 8	41	29.5	M 5	29.5	9.5	13.5	13	26.5	9.5	60
GN 723.4-42-B8-N	42	B 8	50	37.5	M 5	33.5	10.5	15.5	15	30.5	11.5	101
GN 723.4-42-B10-N	42	B 10	50	37.5	M 5	33.5	10.5	15.5	15	30.5	11.5	100

GN 723.4-M

Description	d1	d2 H8	d3 -0.2	d4	d5	l1	l2	l3	l4	t1 min.	t2	⚖
GN 723.4-27-B6-M	27	B 6	33.5	23.5	M 4	25.5	7.5	10.5	12.5	23.5	7.5	38
GN 723.4-34-B6-M	34	B 6	41	29.5	M 5	29.5	9.5	13.5	13	26.5	9.5	66
GN 723.4-34-B8-M	34	B 8	41	29.5	M 5	29.5	9.5	13.5	13	26.5	9.5	60
GN 723.4-42-B8-M	42	B 8	50	37.5	M 5	33.5	10.5	15.5	15	30.5	11.5	101
GN 723.4-42-B10-M	42	B 10	50	37.5	M 5	33.5	10.5	15.5	15	30.5	11.5	100

GN 723.4-S

Description	d1	d2 H8	d3 -0.2	d4	d5	l1	l2	l3	l4	t1 min.	t2	⚖
GN 723.4-27-B6-S	27	B 6	33.5	23.5	M 4	25.5	7.5	10.5	12.5	23.5	7.5	38
GN 723.4-34-B6-S	34	B 6	41	29.5	M 5	29.5	9.5	13.5	13	26.5	9.5	66
GN 723.4-34-B8-S	34	B 8	41	29.5	M 5	29.5	9.5	13.5	13	26.5	9.5	60
GN 723.4-42-B8-S	42	B 8	50	37.5	M 5	33.5	10.5	15.5	15	30.5	11.5	101
GN 723.4-42-B10-S	42	B 10	50	37.5	M 5	33.5	10.5	15.5	15	30.5	11.5	100

