







Assembly sets GN 965 / GN 968		Type A 	Type B 	Type C 	Type D 	Type A 	Type B 	Type C 	Type D 
Compatible GN standards in ascending order of the standard numbers									
Hinges GN 127 (see page 1397)									
	GN 127-...-B	-		GN 965-8-M6-20-B		-		GN 968-10-M6-20-B ¹⁾	
Mounting plate GN 139.3 (for hinges with / without safety switch GN 139.1 / GN 139.2) (see page 1444)									
	GN 139.3-170	GN 965-6-M6-12-A		GN 965-8-M6-14-A		GN 968-8-M6-10-A		GN 968-10-M6-14-A	
Mounting plate GN 139.4 (for hinges with / without safety switch GN 139.1 / GN 139.2) (see page 1444)									
	GN 139.4-101	GN 965-6-M6-12-A		GN 965-8-M6-14-A		GN 968-8-M6-10-A		GN 968-10-M6-14-A	
Flanged connector clamps GN 145 (see page 1821)									
	GN 145-...	-		GN 965-8-M5-16-A		-		GN 968-10-M5-18-A	
Hinges CFA-SL (see page 1373)									
	CFA.65-SL-...	-		GN 965-8-M6-18-A		-		GN 968-10-M6-18-A ¹⁾	
Hinges CFG. (see page 1406)									
	CFG.30/30 SH-6 CFG.40/40 SH-6 CFG.45/45 SH-6	GN 965-6-M6-16-B		-		GN 968-8-M6-16-B		-	
		-		GN 965-8-M6-18-B		-		GN 968-10-M6-18-B ¹⁾	
		-		-		-		GN 968-10-M6-18-B ²⁾	





¹⁾ only for profile 40 x 40 ²⁾ only for profile 45 x 45

TECHNICAL DATA

GN 965 / GN 968 – Assembly sets for profile systems 30/40/45 continued

Assembly sets GN 965 / GN 968	Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
								
Compatible GN standards in ascending order of the standard numbers								
Double hinges CFI. (see page 1408)								
 CFI.30-30/30 SH-6 CFI.40-40/40 SH-6 CFI.45-45/45 SH-6	GN 965-6-M6-16-B	–	GN 965-8-M6-18-B	–	GN 968-8-M6-16-B	–	GN 968-10-M6-18-B ¹⁾	GN 968-10-M6-18-B ²⁾
Hinges GN 161 (see page 1410)								
 GN 161-57 / 68 / 80	–	GN 965-8-M6-16-B	GN 968-8-M6-14-B	GN 968-10-M6-18-B				
Base plate connector clamps GN 162.3 (see page 1828)								
 GN 162.3-...	GN 965-6-M5-16-A	GN 965-8-M5-18-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
Connecting clamps MSX. (see page 1906)								
 MSX.56-B-8-10 MSX.56-B-10-12 MSX.56-B-12-14	GN 965-6-M6-12-A GN 965-6-M6-12-A GN 965-6-M6-12-A	GN 965-8-M6-14-A GN 965-8-M6-14-A GN 965-8-M6-14-A	GN 968-8-M6-10-A GN 968-8-M6-10-A GN 968-8-M6-10-A	GN 968-10-M6-14-A GN 968-10-M6-14-A GN 968-10-M6-14-A				
Fastening sets GN 181 for cabinet U-Handles (see page 488)								
 GN 181-ZD-8-M4-... GN 181-ZD-10-M5-... GN 181-ZD-...-M6-... GN 181-ZD-...-M8-...	GN 965-6-M4-10-B GN 965-6-M5-12-B GN 965-6-M6-12-B –	– GN 965-8-M5-14-B GN 965-8-M6-14-B GN 965-8-M8-16-B	– GN 968-8-M5-12-B GN 968-8-M6-12-B –	– – GN 968-10-M6-16-B GN 968-10-M8-16-B				
Tube supports GN 231 (see page 1844)								
 GN 231-B20 / B25 / B30 GN 231-V20 / V25 / V30	– –	GN 965-8-M8-14-A GN 965-8-M8-14-A	– –	GN 968-10-M8-14-A GN 968-10-M8-14-A				



¹⁾ only for profile 40 x 40 ²⁾ only for profile 45 x 45



Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Hinge CFR. (see page 1396)									
	CFR.60 SH-6	–	GN 965-8-M6-20-B			–	GN 968-10-M6-20-B ¹⁾		
Hinge CFM. (see page 1382)									
	CFM.60-45-SH-6	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B ¹⁾		
Hinges with built-in safety switch CFSQ. (see page 1436)									
	CFSQ.60-SH-6-...	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B ¹⁾		
Hinges with built-in safety multiple switch CFSW. (see page 1428)									
	CFSW.110-6-...	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B ¹⁾		
Hinges CFMW. (see page 1434)									
	CFMW.70-SH-6	–	GN 965-8-M6-18-B			–	GN 968-10-M6-18-B ¹⁾		
	CFMW.110-SH-6	–	–			–	GN 968-10-M6-18-B ¹⁾		
Mounting plates PMW for hinges CFSW. / CFMW. (see page 1433)									
	PMW.110-30	GN 965-6-M6-16-B	–	GN 968-8-M6-14-B			–	GN 968-10-M6-18-B GN 968-10-M6-18-B	
	PMW.110-40	–	GN 965-8-M6-18-B			–			
	PMW.110-45	–	–			–			
Swivel clamp connector bases GN 271 (see page 1847)									
	GN 271-25-...	–	GN 965-8-M5-18-A			–	GN 968-10-M5-18-A		

¹⁾ only for profile 40 x 40

TECHNICAL DATA

GN 965 / GN 968 – Assembly sets for profile systems 30/40/45 continued



Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Sensor holders GN 271.4 (see page 1872)									
	GN 271.4-B12-... GN 271.4-B18-...	– –	GN 965-8-M5-18-A GN 965-8-M8-18-A			– –	GN 968-10-M5-18-A GN 968-10-M8-18-A		
Swivel clamp connector joints GN 281 (see page 1859)									
	GN 281-...	–	GN 965-8-M5-18-A			–	GN 968-10-M5-18-A		
Tubular handles GN 333 (see page 498)									
	GN 333-28-...-B-...	–	GN 965-8-M6-28-A			GN 968-8-M6-25-A	GN 968-10-M6-28-A		
Tubular handles GN 333.1 (see page 496)									
	GN 333.1-28-...-B-...	GN 965-6-M6-14-C	GN 965-8-M6-16-C			GN 968-8-M6-14-C	GN 968-10-M6-18-C		
Oval tubular handles GN 334.1 (see page 523)									
	GN 334.1-36-...	–	GN 965-8-M8-16-C			–	GN 968-10-M8-16-C		
Indexing plungers GN 412 (see page 789)									
	GN 412-5-35-...-1 GN 412-6-35-...-1 GN 412-8-47-...-1 GN 412-10-47-...-1	GN 965-6-M4-16-A GN 965-6-M4-16-A GN 965-6-M5-18-A GN 965-6-M5-18-A	– – GN 965-8-M5-20-A GN 965-8-M5-20-A	– – GN 968-6-M5-18-A GN 968-6-M5-18-A		– – GN 968-8-M5-20-A GN 968-8-M5-20-A			
Mounting blocks GN 412.1 (see page 814)									
	GN 412.1-35-...-1 GN 412.1-47-...-1	GN 965-6-M4-16-A GN 965-6-M5-18-A	– GN 965-8-M5-20-A	– GN 968-8-M5-18-A		– –			


Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Spring latches GN 416 (see page 790)									
	GN 416-6-38-...	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416-8-38-...	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416-8-46-...	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
	GN 416-10-38-...	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416-10-46-...	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
Locators GN 416.1 (see page 791)									
	GN 416.1-6-38	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416.1-8-38	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416.1-8-46	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
	GN 416.1-10-38	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 416.1-10-46	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
Indexing plungers GN 417 (see page 792)									
	GN 417-5-A / -B / -C	GN 965-6-M4-12-A	–	GN 968-8-M4-12-A	–				
	GN 417-6-A / -B / -C	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 417-8-A / -B	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M6-18-A				
	GN 417-8-C	–	GN 965-8-M5-16-A	–	GN 968-10-M5-18-A				
	GN 417-10-A / -B / -C	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
Locators GN 417.1 (see page 794)									
	GN 417.1-5	GN 965-6-M4-12-A	–	GN 968-8-M4-12-A	–				
	GN 417.1-6	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 417.1-8	GN 965-6-M5-14-A	GN 965-8-M5-16-A	GN 968-8-M5-14-A	GN 968-10-M5-18-A				
	GN 417.1-10	–	GN 965-8-M6-16-A	–	GN 968-10-M6-18-A				
Base clamp mountings GN 473 (see page 1878)									
	GN 473-B8-...	GN 965-6-M4-10-A	GN 965-8-M4-14-A	GN 968-8-M4-10-A	GN 968-10-M4-14-A				
	GN 473-B10 / B12-...	–	GN 965-8-M5-12-A	–	GN 968-10-M5-14-A				
	GN 473-B15 / B16-...	–	GN 965-8-M6-14-A	–	GN 968-10-M6-14-A				
	GN 473-B20-...	–	GN 965-8-M6-18-A	–	GN 968-10-M6-18-A				
Clamp mountings GN 477 (see page 1879)									
	GN 477-B8-...	GN 965-6-M4-16-A	GN 965-8-M4-20-A	GN 968-8-M4-16-A	–				
	GN 477-B10 / B12-...	GN 965-6-M5-18-A	GN 965-8-M5-20-A	GN 968-8-M5-18-A	GN 968-10-M5-20-A				
	GN 477-B15 / B16 / B20-...	GN 965-6-M6-20-A	GN 965-8-M6-22-A	GN 968-8-M6-20-A	GN 968-10-M6-22-A				



TECHNICAL DATA




GN 965 / GN 968 – Assembly sets for profile systems 30/40/45 continued

Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Flanged bolts GN 480 (see page 1885)									
	GN 480-8-... GN 480-10 / 12-... GN 480-15 / 16 / 20-...	GN 965-6-M4-10-A GN 965-6-M5-10-A GN 965-6-M6-12-A	GN 965-8-M4-12-A GN 965-8-M5-12-A GN 965-8-M6-14-A	GN 968-8-M4-10-A GN 968-8-M5-10-A GN 968-8-M6-12-A	- GN 968-10-M5-12-A GN 968-10-M6-14-A				
Bridge handles M.443 CH / M.443 N-CH / M.443 AE-V0 / M.443-ESD (see page 435)									
	M.443/110-... M.443/140-6-... M.443/140-8-... M.443/145-... M.443/150-... M.443/170-... M.443/180-... M.443/190-... M.443/200-... M.443/260-...	GN 965-6-M6-14-A GN 965-6-M6-16-A - - - - - - - -	GN 965-8-M6-16-A GN 965-8-M6-16-A GN 965-8-M8-18-A - GN 965-8-M8-18-A GN 965-8-M8-18-A GN 965-8-M8-20-A GN 965-8-M8-20-A - -	GN 968-8-M6-14-A GN 968-8-M6-16-A - - - - - - - -	GN 968-10-M6-16-A GN 968-10-M6-20-A GN 968-10-M8-16-A GN 968-10-M8-18-A GN 968-10-M8-18-A GN 968-10-M8-18-A GN 968-10-M8-20-A GN 968-10-M8-20-A GN 968-10-M8-20-A GN 968-10-M8-20-A				
Angles SQT. (see page 1899)									
	SQT.40-18-...-8 SQT.40-25-...-8 SQT.43-43-A-8	- - -	GN 965-8-M8-18-C GN 965-8-M8-18-C -	GN 968-8-M6-14-C GN 968-8-M6-14-C -	- - GN 968-10-M8-18-C				
Cabinet U-Handles GN 565.1 (see page 416)									
	GN 565.1-20-... GN 565.1-26-...	GN 965-6-M5-22-A -	- GN 965-8-M6-22-A	GN 968-8-M5-20-A -	- GN 968-10-M6-22-A				
Inclined cabinet U-Handles GN 565.2 (see page 417)									
	GN 565.2-26-128-B-... GN 565.2-26-160-B-...	- -	GN 965-8-M6-22-C GN 965-8-M6-22-C	- -	GN 968-10-M6-22-C GN 968-10-M6-22-C				
Cam action indexing plungers GN 612.2 (see page 830)									
	GN 612.2-...-16-... GN 612.2-...-20-...	GN 965-6-M5-18-A GN 965-6-M5-22-A	GN 965-8-M5-22-A GN 965-8-M5-25-A	GN 968-8-M5-18-A GN 968-8-M5-22-A	- GN 968-10-M5-25-A				

Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Cam action indexing plungers GN 612.9 (see page 831)									
	GN 612.9-...-16-... GN 612.9-...-20-...	GN 965-6-M5-18-A GN 965-6-M5-22-A	GN 965-8-M5-20-A GN 965-8-M5-25-A	GN 968-8-M5-18-A GN 968-8-M5-22-A	– GN 968-10-M5-25-A				
Bridge handles EBP. (see page 428)									
	EBP.110-6-... EBP.140-6-... EBP.140-8-... EBP.150-8-... EBP.180-8-... EBP.200-8-...	GN 965-6-M6-16-A – – –	– GN 965-8-M8-28-A GN 965-8-M8-28-A GN 965-8-M8-28-A	GN 968-8-M6-14-A – – –	– GN 968-10-M8-28-A GN 968-10-M8-28-A GN 968-10-M8-28-A				
Guard safety handles ESP. (see page 476)									
	ESP.110-EH-... ESP.110-SH-...	GN 965-6-M6-16-A GN 965-6-M6-18-B	GN 965-8-M6-18-A GN 965-8-M6-22-B	GN 968-8-M6-16-A GN 968-8-M6-18-B	GN 968-10-M6-20-A GN 968-10-M6-22-B				
Guard wing handles EWP. (see page 477)									
	EWP.110-EH EWP.110-SH	GN 965-6-M6-16-A GN 965-6-M6-18-B	GN 965-8-M6-18-A GN 965-8-M6-22-B	GN 968-8-M6-16-A GN 968-8-M6-18-B	GN 968-10-M6-20-A GN 968-10-M6-22-B				
Panel support clamp PC (see page 1340)									
	PC.35	GN 965-6-M6-10-D	GN 965-8-M6-14-D	GN 968-8-M6-10-D	GN 968-10-M6-14-D				
Cabinet U-Handles M.1043 (see page 514)									
	M.1043/20-...	–	GN 965-8-M8-20-A	–	GN 968-10-M8-20-A				
Cabinet U-Handles M.1053 (see page 515)									
	M.1053 M.1053-P	– –	GN 965-8-M8-20-A GN 965-8-M8-20-A	– –	GN 968-10-M8-20-A GN 968-10-M8-20-A				

TECHNICAL DATA

GN 965 / GN 968 – Assembly sets for profile systems 30/40/45 continued

Assembly sets GN 965 / GN 968		Type A	Type B	Type C	Type D	Type A	Type B	Type C	Type D
									
Compatible GN standards in ascending order of the standard numbers									
Spring latches GN 722.3 (see page 832)									
	GN 722.3-8-...	-	GN 965-8-M6-18-A		-	GN 968-10-M6-18-A		GN 968-10-M6-18-A	
	GN 722.3-10-...	-	GN 965-8-M6-18-A		-	GN 968-10-M6-18-A		GN 968-10-M6-18-A	
	GN 722.3-12-...	-	GN 965-8-M6-18-A		-	GN 968-10-M6-18-A		GN 968-10-M6-18-A	
	GN 722.3-14-...	-	GN 965-8-M6-18-A		-	GN 968-10-M6-18-A		GN 968-10-M6-18-A	
Cabinet U-Handles GN 728 (see page 441)									
	GN 728-120-B-...	GN 965-6-M6-14-A	-	GN 965-8-M8-18-A		GN 968-8-M6-14-A	-	GN 968-10-M8-18-A	
	GN 728-180-B-...	-	GN 965-8-M8-18-A		-	GN 968-10-M8-18-A		GN 968-10-M8-18-A	
Stainless Steel – Cabinet U-Handles GN 728.5 (see page 441)									
	GN 728.5-120-B-...	GN 965-6-M6-14-A	-	GN 965-8-M8-18-A		GN 968-8-M6-14-A	-	GN 968-10-M8-18-A	
Angle pieces / Shackles GN 967 (see page 1000)									
	GN 967-...-20-...-1-...	GN 965-6-M5-12-A	GN 965-8-M5-14-A		GN 968-8-M5-12-A	GN 968-10-M5-14-A		GN 968-10-M5-14-A	
	GN 967-...-20-...-2-...	GN 965-6-M5-12-B	GN 965-8-M5-14-B		GN 968-8-M5-12-B	GN 968-10-M5-14-B		GN 968-10-M5-14-B	
	GN 967-...-30-...-1-...	GN 965-6-M6-12-A	GN 965-8-M6-14-A		GN 968-8-M6-12-A	GN 968-10-M6-14-A		GN 968-10-M6-14-A	
	GN 967-...-30-...-2-...	GN 965-6-M6-12-B	GN 965-8-M6-14-B		GN 968-8-M6-12-B	GN 968-10-M6-14-B		GN 968-10-M6-14-B	
	GN 967-...-40-...-1-...	-	GN 965-8-M8-16-A		-	GN 968-10-M8-16-A		GN 968-10-M8-16-A	
	GN 967-...-40-...-2-...	-	GN 965-8-M8-16-B		-	GN 968-10-M8-16-B		GN 968-10-M8-16-B	
	GN 967-...-45-...-1-...	-	GN 965-8-M8-16-A		-	GN 968-10-M8-16-A		GN 968-10-M8-16-A	
	GN 967-...-45-...-2-...	-	GN 965-8-M8-16-B		-	GN 968-10-M8-16-B		GN 968-10-M8-16-B	
Threaded flanges GN 3490 (see page 1012)									
	GN 3490-45-...	GN 965-6-M6-14-B	-	GN 965-8-M8-16-B		GN 968-6-M6-14-B	GN 968-8-M8-16-B		GN 968-8-M8-16-B
	GN 3490-60-...	-	GN 965-8-M8-16-B		-	GN 968-10-M8-16-B		GN 968-10-M8-16-B	