


## EBR-PN handle with pneumatic drive

### Ergonomics, design and functionality



**EBR-PN** handle with pneumatic drive, is suitable for applications on doors and moving parts of machines.

Made of glass-fibre reinforced polyamide based technopolymer, grey-black colour and matte finish, it is equipped with a light-blue, glossy finish push button that allows the direct drive of a single acting or double acting pneumatic actuator.

EBR-PN is supplied with quick couplings for direct fitting of a tube Ø 4 mm for pneumatics.

The handle is available in the following standard executions:

- **EBR-PN-3/2-NO**: the pneumatic valve is normally open. The actuation of the button closes the air passage.
- **EBR-PN-3/2-NC**: the pneumatic valve is normally closed. The actuation of the button opens the air passage.
- **EBR-PN-5/2**: the actuation of the button switches the output channel of the air, between the two available.

The force to be applied to the button for the actuation of the drive is independent from the operating pressure, such to allow ease of use.

Product technical data sheet, along with drawings and tables with codes and dimensions, is available on our website [www.elesa-ganter.com](http://www.elesa-ganter.com).



Contact: Fabio Invernizzi  
Phone: +39 039 28.111  
E-mail: [fabio.invernizzi@elesa.com](mailto:fabio.invernizzi@elesa.com)

Elesa S.p.A.  
Via Pompei, 29 – 20900 Monza  
Italy  
Tel. +39 039 28 111  
fax +39 039 83 63 51

[www.elesa-ganter.com](http://www.elesa-ganter.com)  
[info@elesa-ganter.com](mailto:info@elesa-ganter.com)