

New range of components for conveyors



*GLA rollers
with spherical contact area*



*GCA rollers
with cylindrical shape*



*GLB rollers
with cylindrical contact area*



*GLP- HT
for high temperatures*

The new range of [conveyor components](#) allows the creation of support structures for production lines in diverse industrial sectors, such as bottling, packaging and material handling.

To the already available range of supports and guides, rail brackets and clamps, support bearings and connection joints, Elesa+Ganter now offers new roller sides and central guides, linear guide rails, also with shaped profile and a series of accessories.

The **side and the central guides** together with the **articulated side guides** have polyethylene based (PE) technopolymer, grey colour rollers.

GLA (side guides) and **GCA** (central guides) series are available with anodized aluminium body, acetal resin based (POM) technopolymer support and AISI 304 stainless steel pins.

The articulated side guides **GLB-1** and **GLB-2** are modular self-supporting structures for the side guide of products on conveyor belts. The body is in acetal resin based (POM) technopolymer and the pins in AISI 304 stainless steel. These guides are also particularly suitable for use in environments in the presence of liquids, subject to frequent washing or in filling areas. The joint in the roller side guides allows an external curvature radius 500 mm, internal curvature radius 350 mm.

For all standard solutions, rollers can be with spherical contact area, for the guide of products in cans or in plastic containers; cylindrical rollers, for the guide of cardboard products; rollers with cylindrical contact area, for the guide of glass products. The guides are available single or double, suitable for side guide of products with limited or important vertical dimensions.

The linear lateral guides, **GLP**, **GLR** and **GLT** series are used for the side guide of products with different dimensions on conveyor belt. Brackets are in AISI 304 stainless steel; the guide profile in polyethylene based (HMWPE) technopolymer, natural colour.

The natural colour of the material leaves no traces on the containers, while the stainless steel inserts (pins, screws and nuts) guarantee a high corrosion resistance.

Contact:

Fabio Invernizzi | +39 039 28 11 1 | fabio.invernizzi@elesa.com
 Eles S.p.A.
 Via Pompei, 29 20900 Monza (MI) | Italy
 +39 039 28 11 1 | info@elesa.com | elesa.com

elesa-ganter.com



DESIGNED
FOR ENGINEERING

The linear lateral guides are characterised by a high wear resistance and the low coefficient of friction makes them particularly suitable for high-speed movements.


GLP-HT series in polytetrafluoroethylene based (PTFE) technopolymer is designed for environments where resistance to higher temperatures is required, such as ovens, fryers, steam chambers.

GLS linear guide rail with shaped profile in polyethylene based (HMWPE) technopolymer, natural colour and AISI 304 stainless steel support, together with **GLC** series with shaped profile in black colour, are suitable for the side guide of products with different dimensions on conveyor belts, even vertical.

The range is completed by a series of **accessories**, including closing caps, separation blocks and technopolymer supports, as well as stainless steel profiles.

Once again Elesa+Ganter proves its attention in the customer care, offering a wide variety of components with all advantages of being standard.

Product technical data sheets, along with drawings and tables with codes and dimensions are available on our website elesa-ganter.com.

**Contact:**

Fabio Invernizzi | +39 039 28 11 1 | fabio.invernizzi@elesa.com
Elesa S.p.A.
Via Pompei, 29 20900 Monza (MI) | Italy
+39 039 28 11 1 | info@elesa.com | elesa.com

elesa-ganter.com



DESIGNED
FOR ENGINEERING